Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Issue date: 30/05/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 1876 The Professional Range Medium Grade Ready Mixed Wallcovering Adhesive

Product code : 4547
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Adhesive for fixing wallcoverings

1.2.2. Uses advised against

Restrictions on use : Not to be used for any other purpose than stated above

1.3. Details of the supplier of the safety data sheet

UK Supplier

Bartoline Limited Ltd Barmston Close HU17 0LW Beverley United Kingdom

T 01482 678710 - F 01482 872606

infor@bartoline.co.uk - www.bartoline.co.uk

1.4. Emergency telephone number

Emergency number : +44(0)1482 678710

8.30am - 4.45pm Monday to Friday

NHS 111 - General Public (24 Hour service)

Also, in the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions.

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-

isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one. May

produce an allergic reaction.

EUH210 - Safety data sheet available on request

Extra Labelling Phrases :

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Contains biocidal products/preservatives to control microbial deterioration: 2-benzisothiazol-3(2H)-one, C(M)IT/MIT (3:1), 2-methylisothiazol-3(2H)-one, IPBC (risk of skin sensitization), Bronopol (INN).

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Nitrate	CAS-No.: 7631-99-4 EC-No.: 231-554-3 EU REACH Registration-No.: 01-2119488221-41-XXXX	≥1-<5	Ox. Sol. 3, H272 Eye Irrit. 2, H319
Starch (substance with a UK Community workplace exposure limit)	CAS-No.: 9005-25-8 EC-No.: 232-679-6	< 5%	Not Classified
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 EU REACH Registration-No.: 01-2120761540-60- XXXX	< 0.05	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 EU REACH Registration-No.: 01-2120764690-50- XXXX	< 0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 EUH071
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5 EU REACH Registration-No.: 01-2120764691-48- XXXX	< 0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0.05 ≤C ≤ 100) Skin Sens. 1, H317
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.6 ≤C ≤ 100) Skin Corr. 1C, H314 (0.6 ≤C ≤ 100) Eye Dam. 1, H318
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Non hazardous mixture.

First-aid measures after inhalation : Inhalation unlikely. Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. If skin irritation

or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove any contact lenses and open eyelids wide apart. Rinse opened eye for several

minutes under running water. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Drink plenty of water. Never give anything by mouth to an

unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Under normal conditions of use, no adverse effects to health have been observed.

Symptoms/effects after inhalation : May cause respiratory irritation. Cough.

Symptoms/effects after skin contact : Repeated or prolonged skin contact may cause irritation. Repeated or prolonged skin

contact can result in sensitisation in susceptible individuals.

Symptoms/effects after eye contact : Eye irritation. Redness, pain. Symptoms/effects after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : The product is non-combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Keep run-off water out of sewers and water sources. Containers close to fire should be

removed or cooled with water.

Explosion hazard : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases. Hydrocarbons. Aldehydes. Soot. Gas may accumulate in confined areas.

Harmful if inhaled.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

5.3. Advice for firefighters

Precautionary measures fire : Avoid breathing (dust, vapor, mist, gas).

Cool laterally with water containers exposed to flames, even after the fire is extinguished. Firefighting instructions Protection during firefighting

Wear fire/flame resistant/retardant clothing. In confined space use self-contained breathing

apparatus. Full face piece respirator.

Other information Keep run-off water out of sewers and water sources. Containers close to fire should be

removed or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Keep unnecessary and unprotected personnel away from the spillage.

Emergency procedures : Do not touch or walk on the spilled product.

Measures in case of dust release : Not applicable.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended

personal protective equipment. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures For further information refer to section 8: "Exposure controls/personal protection". More

detailed information: See section 11. For disposal of residues refer to section 13: Disposal

considerations" ".

6.2. Environmental precautions

Do not discharge into drains or the environment. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Turn leaking containers leak-side up to prevent the escape of

Methods for cleaning up : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate

material), then place in suitable container. Wash contaminated area with large amounts of

water. Spill area may be slippery.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Read label before use. Persons suffering from asthma,

eczema or skin problems should avoid contact, including dermal contact, with this product.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Hand cream.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : No special storage required. Keep only in original container.

7.3. Specific end use(s)

Section 1.

30/05/2023 (Issue date) UK - en 4/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Starch (9005-25-8)		
Republic of Ireland – Occupational Exposure Limit (OEL)		
OEL 8h (inhalable)	10 mg/m³	(Chemical Agents Code of Practice 2020)
OEL 8h (respirable)	4 mg/m³	(Chemical Agents Code of Practice 2020)
United Kingdom – Occupational Exposure Limit (OEL)		
OEL TWA 8h (inhalable)	10 mg/m³	(EH40/2005)
OEL TWA 8h (respirable)	4 mg/m³	(EH40/2005)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC			
1,2-benzisothiazol-3(2H)-one (2634-33-5)			
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.966 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	6.81 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects, inhalation	1.2 mg/m³		
Long-term - systemic effects, dermal	0.345 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	4.03 μg/l		
PNEC aqua (marine water)	0.403 μg/l		
PNEC aqua (intermittent, freshwater)	1.1 µg/l		
PNEC aqua (intermittent, marine water)	110 ng/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	49.9 μg/kg dw		
PNEC sediment (marine water)	4.99 μg/kg dw		
PNEC (Soil)			
PNEC soil	3 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	1.03 mg/l		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)			
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	0.04 mg/m³		
Long-term - local effects, inhalation	0.02 mg/m³		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)		
DNEL/DMEL (General population)		
Acute - systemic effects, oral	0.11 mg/kg bodyweight/day	
Acute - local effects, inhalation	0.04 mg/m³	
Long-term - systemic effects,oral	0.09 mg/kg bodyweight/day	
Long-term - local effects, inhalation	0.02 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	3.39 µg/l	
PNEC aqua (marine water)	3.39 µg/l	
PNEC aqua (intermittent, freshwater)	3.39 µg/l	
PNEC aqua (intermittent, marine water)	3.39 µg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.027 mg/kg dwt	
PNEC sediment (marine water)	0.027 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.01 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	0.23 mg/l	

Sodium Nitrate (7631-99-4)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	20.8 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	36.7 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation	10.9 mg/m³	
Long-term - systemic effects, dermal	12.5 mg/kg bodyweight/day	
Long-term - systemic effects, oral	12.5 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	450 μg/l	
PNEC aqua (marine water)	45 μg/l	
PNEC aqua (intermittent, freshwater)	4500 μg/l	
PNEC (STP)		
PNEC sewage treatment plant	18 mg/l	

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Preferably use engineering controls to keep exposures below the OEL or DNEL.

8.2.2. Personal protection equipment

Personal protective equipment:

Do not attempt to take action without suitable protective equipment. Appropriate engineering controls.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Use splash goggles when eye contact due to splashing is possible	Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use

Hand protection:

If repeated and/or prolonged skin exposure to the substance is likely, then wear suitable gloves tested to EN374 and provide employee skin care programmes. Gloves

Other skin protection

Materials for protective clothing:

Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

Thermal hazard protection:

Not applicable.

8.2.3. Environmental exposure controls

Other information:

Always wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : white. off-white.

Appearance : Liquid.

Odour : Barely perceptible.
Odour threshold : Not available

: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Melting point : Not available. Freezing point : Not available Boiling point : Not available. Flammability : Not available Explosive properties : Not available. Oxidising properties : Not available. : Not available Explosive limits Lower explosion limit : Not available : Not available Upper explosion limit Flash point : Not applicable. Auto-ignition temperature : Not available. Decomposition temperature : Not available

Viscosity, kinematic : Not available Viscosity, dynamic : 640 - 900 cP MS-R4 Solubility : soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available. Vapour pressure at 50 °C : Not available : Not available Density : Not determined. Relative density Relative vapour density at 20 °C : Not available

9.2. Other information

Particle characteristics

VOC content : There are no VOCs present.

Bulk density : Not applicable. Volatility : Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Protect from freezing. No dangerous reactions known under normal conditions of use.

10.5. Incompatible materials

No dangerous reactions known under normal conditions of use.

10.6. Hazardous decomposition products

In case of fire, irritating fumes come free.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met
Acute toxicity (dermal) : Based on available data, the classification criteria are not met
Acute toxicity (inhalation) : Based on available data, the classification criteria are not met

30/05/2023 (Issue date) UK - en 8/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Additional information

: The product has been assessed following the conventional method and is not classified for toxicological hazards accordingly. This product has low toxicity. Only large volumes may have adverse impact on human health.

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LD50 dermal	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 oral	454 mg/kg bodyweight Animal: rat , Guideline: OECD 401 (Acute Oral Toxicity)
LC50 Inhalation (dust/mist)	0.25 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
> 141 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LD50 oral	66 mg/kg bodyweight Animal: rat , Guideline: OECD 401 (Acute Oral Toxicity)	
LC50 Inhalation (dust/mist)	0.33 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	

2-methylisothiazol-3(2H)-one (2682-20-4)		
LD50 oral	120 mg/kg bodyweight Animal: rat (females), Guideline: EPA 40 CFR	
LD50 dermal	242 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation (dust/mist)	0.11 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Sodium Nitrate (7631-99-4)		
LD50 oral rat	≈ 3430 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat – Read Across from Potassium Nitrate (CAS- 7757-79-1)	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	

Skin corrosion/irritation : Based on available data, the classification criteria are not met pH: 6-7

1,2-benzisothiazol-3(2H)-one (2634-33-5)

Causes Skin irritation. Human volunteers - at 0.8% & 0.16%, some skin irritation was seen, (CLH report, Feb 2021)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Causes severe skin burns at 1% (based on severity from mean scores and irreversible damage), Animal: Rabbit, Guideline: OECD Guideline 404

pH 3.43 Temp.: 20 °C Concentration: 10 g/L

2-methylisothiazol-3(2H)-one (2682-20-4)

Causes severe skin burns at 97.8% (based on seveirty from mean scores and irreversble damage), Animal: Rabbit, Guideline: OECD Guideline 404

Serious eye damage/irritation

: Based on available data, the classification criteria are not met pH: 6 – 7

1,2-benzisothiazol-3(2H)-one (2634-33-5)

Causes serious eye damage (based on severe corrosive reactions observed following full volume application to eye), Animal: Rabbit, Guideline: EPA OPP 81-4 (Acute Eye Irritation)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Causes serious eye damage (based from corrosive classification)

pH 3.43 Temp.: 20 °C Concentration: 10 g/L

30/05/2023 (Issue date) UK - en 9/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

	2-methy	ylisothiazol-3((2H)-one ((2682-20-4)
--	---------	-----------------	------------	-------------

Causes serious eye damage (based from corrosive classification)

Sodium Nitrate (7631-99-4)

pH 7 Temp.: 25 °C Remarks on result: 'other:'

Causes serious eye irritation.

Positive Result, Concluded to be a serious eye irritant, Animal: rabbit, Guideline: OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitisation : Based on available data, the classification criteria are not met

1,2-benzisothiazol-3(2H)-one (2634-33-5)

May cause an allergic skin reaction.

Positive Result, Concluded to be skin sensitising but EC3 value ≥ 2%, Animal: mouse, Guideline: OECD 429 (local lymph node assay)

Positive Result, Signs of skin sensitisation were observed in 30% of animals at a concentration of 5%, Animal: Guinea Pig, Guideline: guinea pig maximization test

Positive Result, Signs of skin sensitisation were observed at 64.45 μg/cm² and 90.6 μg/cm², Human Data, Guideline: Human Repeat Insult Patch Test (HIRPT)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

May cause an allergic skin reaction

Positive Result, Stimulation index ≥ 3 from concentrations 0 - 0.1%, EC3 value $\leq 2\%$, Animal: mouse, Guideline: OECD 429 (local lymph node assav)

Positive Result, Signs of skin sensitisation were observed in 50% animals at a concentration of 0.71%, Animal: Guinea Pig, Guideline: guinea pig maximization test

Positive Result, Signs of skin sensitisation were observed in 60% animals at a concentration of 0.01%, Animal: Guinea Pig, Guideline: Buehler Test

2-methylisothiazol-3(2H)-one (2682-20-4)

May cause an allergic skin reaction.

Positive Result, Stimulation index = 6.65 at a concentration of 1.35%, EC3 value ≤ 2%, Animal: mouse, Guideline: OECD 429 (local lymph node assay)

Positive Result, Signs of skin sensitisation were observed in 10/10 animals at a concentration of 0.1%, Animal: Guinea Pig, Guideline: guinea pig maximization test

Germ cell mutagenicity : Based on available data, the classification criteria are not met Carcinogenicity : Based on available data, the classification criteria are not met Reproductive toxicity : Based on available data, the classification criteria are not met

1,2-benzisothiazol-3(2H)-one (2634-33-5)

NOAEL (animal/female, F1)

56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

STOT-single exposure : Based on available data, the classification criteria are not met STOT-repeated exposure : Based on available data, the classification criteria are not met

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LOAEL (dermal, rat/rabbit, 90 days)

0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3
(Subchronic Dermal Toxicity 90 Days)

Aspiration hazard : Based on available data, the classification criteria are not met

11.2. Information on other hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not expected to be hazardous to the environment. However, large or frequent

spills may have hazardous effects on the environment.

Hazardous to the aquatic environment, short-term

: Based on available data, the classification criteria are not met

Hazardous to the aquatic environment, long-term (chronic)

: Based on available data, the classification criteria are not met

Not rapidly degradable

Not rapidly degradable	
Sodium Nitrate (7631-99-4)	
LC50 96h - Fish	1559 mg/l Test organisms (species): Topeka shiner, Guideline: ASTM E729-26 (1997) (Standard guide for conducting acute toxicity tests on test materials with fishes, macroinvertebrates and amphibians). In Annual Book of ASTM Standards, Vol. 11.05, West Conshohocken, PA, pp 220-240
EC50 24h - Daphnia magna	8600 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202
2-methylisothiazol-3(2H)-one (2682-20-4)	
LC50 96h - Fish	4.21 – 5.42 mg/l Test organisms (species): Oncorhynchus mykiss, Guideline: OECD Guideline 203
EC50 48h - Daphnia magna	0.998 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202
EC50 120h – Algae	0.103 mg/l Test organisms (species): Raphidocelis subcapitata, Guideline: OECD Guideline 201
E _r C50 24h – Algae	0.103 mg/l Test organisms (species): seudokirchneriella subca pitata, Guideline: OECD Guideline 201
E _r C10 24h – Algae	0.103 mg/l Test organisms (species): seudokirchneriella subcapitata, Guideline: OECD Guideline 201
NOEC 33 d - Fish	2.1 mg/l Test organisms (species): Pimephales promelas, Guideline: OECD Guideline 210
NOEC 98 d - Fish	2.38 mg/l Test organisms (species): Pimephales promelas, Guideline: OECD Guideline 210
NOEC 21 d – Daphnia magna	0.0442 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 211

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)				
LC50 96h - Fish	0.22 mg/l Test organisms (species): Onchorhyncus mykiss, Guideline: OECD Guideline 203			
EC50 48h – Daphnia magna	0.1 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202			
EC50 72h - Algae	0.048 mg/l Test organisms (species): Pseudokirchneriella subcapitata, Guideline: OECD Guideline 201			
NOEC 28 d - Fish	0.098 mg/l Test organisms (species): Rainbow Trout, Guideline: OECD Guideline 215			
NOEC 21 d – Daphnia magna	0.004 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 211			
NOEC 72h – Algae	0.0012 mg/l Test organisms (species): Pseudokirchneriella subcapitata, Guideline: OECD Guideline 201			
1,2-benzisothiazol-3(2H)-one (2634-33-5)				
LC50 96h - Fish	2.2 mg/l Test organisms (species): Rainbow Trout, Guideline: OECD Guideline 203			
EC50 48h – Daphnia magna 3.27 mg/l Test organisms (species): Daphnia magna, Guideline: OECD Guideline 202				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
EC50 72h - Algae	0.11 mg/l Test organisms (species): Selenastrum capricornutum, Guideline: OECD Guideline 201

12.2. Persistence and degradability

No additional information available on mixture

2-methylisothiazol-3(2H)-one (2682-20-4)		
OECD Guideline 301B	48 – 56% degradation after 28d	
OECD Guideline 301D	2-methylisothiazol-3(2H)-one was observed to be not readily biodegradable in 28 d	
OECD Guideline 301A	12-17% degradation after 29 d	
Committee for Risk Assessment - RAC (Opinion of 26 November 2021)	Not rapidly degradble	

1,2-benzisothiazol-3(2H)-one (2634-33-5)		
OECD Guideline 301C	< 1% degradation after 63 d	
OECD Guideline 301B	23.8% degradation after 28 d	
OECD Guideline 301D	4.94% degradation after 28 d	
Committee for Risk Assessment - RAC (Opinion of 26 November 2021)	Not rapidly degradble	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)	> 60%	
OECD 308 Simulation Biodegradation Aqu Sed System	1.82 – 1.92 d	
Committee for Risk Assessment - RAC (Opinion of 10. March 2016)	Not rapidly degradble	

12.3. Bioaccumulative potential

No additional information available on mixture

Sodium Nitrate (7631-99-4)

Simple inorganic salts with high aqueous solubility will exist in a dissociated form in an aqueous solution. Such a substance has a low potential for bioaccumulation.

2-methylisothiazol-3(2H)-one (2682-20-4)	
OECD 117 Log Kow Partition Coefficient	-0.32 (n-octanol/water)
Committee for Risk Assessment - RAC (Opinion of 26 November 2021)	Low potential for bioaccumulation

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
OECD 305 Bioconcentration factor	6.95 (Fish)
OECD 117 Log Kow Partition Coefficient	0.7 (n-octanol/water)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

1,2-benzisothiazol-3(2H)-one (2634-33-5)		
Committee for Risk Assessment - RAC (Opinion of 26 November 2021)	Low potential for bioaccumulation	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Bioconcentration factor BCF	3.16 (calculated)	
OECD 117 Log Kow Partition Coefficient	≤ 0.71 (n-octanol/water)	

12.3. Bioaccumulative potential

1876 The Professional Range Medium Grade Ready Mixed Wallcovering Adhesive	
Bioaccumulative potential	Bioaccumulation unlikely.

12.4. Mobility in soil

1876 The Professional Range Medium Grade Ready Mixed Wallcovering Adhesive		
Additional information	Product adsorbs onto the soil	

12.5. Results of PBT and vPvB assessment

1876 The Professional Range Medium Grade Ready Mixed Wallcovering Adhesive

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

This product is not classified as Hazardous Waste as it is supplied.

Waste generation should be avoided or minimised where possible. When handling waste, the safety precautions applying to handling of the product should be considered. Label the containers containing waste and remove from the area as soon as possible. Label the containers containing waste contaminated material and remove from the area as soon as possible. Product disposal to sewer should be avoided, if possible, and only be carried out after treatment, and under relevant rules, e.g. Consent to Discharge. Where wastes undergo disposal, external recovery or treatment, it must comply with the requirements of environmental protection, waste disposal legislation and any local authority requirements. If wastes undergo incineration, they must be suitable for it at an approved facility.

Used packaging waste should be reused or recycled, if uncontaminated. Contaminated packaging should be cleaned on site, if appropriate facilities exist, including any relevant rules or permits, or offsite by a specialist provider. Contaminated packaging which cannot be safely cleaned must be treated in the same way as the product, and should only be disposed of as a last resort.

List of waste code is 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09. These codes have been assigned based on the actual composition of the product as supplied. Seek advice from a hazardous/non-hazardous waste specialist for waste classification.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper shippin	g name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport hazard o	class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.4. Packing group	14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
No supplementary information available						

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. UK-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the GB PIC list ((EU) No 649/2012 as amended by the Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc) (EU Exit) Regulations 2019 and 2020 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (The Persistent Organic Pollutants Regulations 2007 As Amended by UK Regulations S.I 2018/1405, S.I 2019/1099, S.I 2019/1340, S.I 2020/1358 and S.I 2022/1293)

Ozone Depleting Substances Regulation

Contains no substance(s) listed on the Ozone Depletion list (The Ozone-Depleting Substances Regulations 2015 As Amended by UK Regulations S.I 2019/281, S.I 2019/583, S.I 2020/304, S.I. 2020/1616, S.I 2021/1397 and S.I 2023/336 on substances that deplete the ozone layer)

The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012 (S.I 2012/1715)

VOC content : There are no VOCs present

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Poisons and Explosive Precursors Precursors list (The Poisons Act 1972 as amended by S.I 2015/968, The Control of Poisons and Explosives Precursors Regulations 2015 (S.I 2015/966) and The Control of Explosives Precursors and Poisons Regulations 2023 (S.I 2023/63) on the marketing and use of explosives precursors). More specifically listed on Part 3 of Schedule 1A of The Poisons Act 1972 as amended by S.I 2015/968 as a **REPORTABLE EXPLOSIVES PRECURSOR**.

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name		Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Sodium nitrate	7631-99-4	3102 50 00	ex 3824 99 96

Drug Precursors Regulation (273/2004 & 111/2005)

Contains no substance(s) listed on the Drug Precursors list ((EC) No 273/2004 and (EC) No 111/2005 as amended by the UK Regulations S.I 2019/742 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.2. Chemical safety assessment

No Chemical safety assessment has been carried out.

SECTION 16: Other information

Indication of changes:

Due to change of classification database the revision numbering has been reset. You should therefore look at the revision date rather than the revision number to ensure you have the most up to date version.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by UK REACH Regulations SI 2019/758

Full text of H- and EUH-statements:			
EUH210	Safety data sheet available on request.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H272	May intensify fire; oxidiser.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H330	Fatal if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
Ox. Sol. 3	Oxidising Solids, Category 3		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1A	Skin sensitisation, category 1A		

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.