According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



## FILLTITE FILL & FINISH MASONRY REPAIR FILLER

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name:

FILLTITE FILL & FINISH MASONRY REPAIR FILLER

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Product use:

Professional and consumer use

# 1.3 Details of the supplier of the safety data sheet Company:

(See further below)

Telephone:

(See further below)

E-mail:

technical.support@tembediy.com

#### 1.4 Emergency telephone number

01302 770234 (Office hours only)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, H318

Category 1

Tembe DIY & Building Products Limited

Delta Court, Sky Business Park
Robin Hood Airport

Department DNO 2CN United Kingdon

Doncaster, DN9 3GN, United Kingdom

Registered in England Number. 03025557

T. +44 1302 770234
F. +44 1302 623210
www.tembediy.com
www.hippoproducts.co.uk
www.filltite.co.uk

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



Skin sensitisation, Category 1 H317

Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

H335

Full text of H-statements: see section 16

## 2.2 Label elements

Hazard pictograms (CLP)		<b></b>
	GHS05	GHS07

Signal word (CLP) Danger

Hazardous ingredients Citric acid anhydrous; CLINKER PORTLAND

Hazard statements (CLP) H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) P102 - Keep out of reach of children.

P261 - Avoid breathing dust.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

#### 2.3 Other hazards

No additional information available

# SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

## 3.2 Mixtures

Name	Product Indentifier	CLP Classification	[%]
Quartz(SiO2) substance with a Community workplace exposure limit	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	Not classified	30 - 70
CLINKER PORTLAND	(CAS-No.) 65997-15-1 (EC-No.) 266-043-4	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335	<= 40

Full text of H-statements: see section 16

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

First-aid measures general	Call a POISON CENTER/doctor.	
Skin contact:	Wash with plenty of water/ Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get immediate medical advice/attention.	
Eye contact:	Rinse immediately with plenty of water. Get medical advice/attention.	
Ingestion:	Rinse mouth. Obtain emergency medical attention.	
Inhalation:	Allow affected person to breathe fresh air. Obtain medical attention if breathing difficulty persists.	
Most important symptoms and effects, both acute and delayed		
Skin contact:	May cause moderate irritation.	
Eye contact:	May cause severe irritation.	
Ingestion:	No data available.	
Inhalation:	May cause respiratory irritation.	
Indication of any immediate medical attention and special treatment needed		

# **SECTION 5: Firefighting measures**

No additional information available

4.2

4.3

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



## 5.1 Extinguishing media

Suitable extinguishing media: All extinguishing agents can be used.

Unsuitable extinguishing media: None, to our knowledge

## 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products in

case of fire:

Carbon dioxide. Carbon monoxide.

# 5.3 Advice for firefighters

Firefighting instructions: Prevent fire fighting water from entering the

environment.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

General measures: Avoid contact with skin and eyes.

Protective equipment Concerning personal protective equipment to

use, see section 8.

#### 6.2 Environmental precautions

Environmental precautions: Prevent entry to sewers and public waters.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up: Collect spillage. Minimise generation of dust.

This material and its container must be disposed of in a safe way, and as per local

legislation.

#### 6.4 Reference to other sections

See section 8. Concerning disposal elimination after cleaning, see section 13.

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling: Use personal protective equipment as required.

Do not get in eyes, on skin, or on clothing.

Hygiene measures Do not eat, drink or smoke when using this

product. Wash hands and other exposed areas with mild soap and water before eating, drinking

or smoking and when leaving work.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and

containers:

Store in dry protected location to prevent any

moisture contact.

# 7.3 Specific end use(s)

Specific use(s):

No data available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Quartz(SiO2) (14808-60-7)

Local name Silica crystaline (Quartz)

Notes SCOEL Recommendations (2003)

# 8.2 Exposure controls

Personal protective equipment

Hand protection: Wear suitable gloves resistant to chemical

penetration. Wear suitable gloves tested to

EN374

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



Eye protection: Safety glasses with side guards should be worn

to prevent injury from airborne particles and/or

other eye contact with this product

Skin and body protection: Wear suitable protective clothing

Respiratory protection: Where exposure through inhalation may occur

from use, respiratory protection equipment is

recommended

Personal protective equipment symbol(s)



Other information: Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

State: Solid

Appearance Powder

Colour: Grey

Odour: Negligible

Odour threshold No data available

pH 10

Relative evapouration rate

(butylacetate=1)

No data available

Melting point No data available

Freezing point No data available

Boiling point No data available

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



Flash point No data available

Auto-igintion temperature No data available

Decomposistion temperature No data available

Flammability (solid, gas) No data available

Vapour pressure No data available

Relative vapour density at 20°c No data available

Relative density 1.4

Solubility No data available

Log Pow No data available

Viscosity, kinematic No data available

Viscosity, dynamic No data available

Explosive properties No data available

Oxidising properties No data available

Explosive limites No data available

9.2 Other information

VOC content < 1 g/l

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product hardens by contact with water.

## 10.2 Chemical stability

Stable in use and storage conditions as recommended in item 7.

#### 10.3 Possibility of hazardous reactions

None under normal use.

#### 10.4 Conditions to avoid

Conditions to avoid: Moisture. Air contact.

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



# 10.5 Incompatible materials

Materials to avoid: None to our knowledge.

# 10.6 Hazardous decomposition products

Hazardous decomposition products: Under normal conditions of storage and use,

hazardous decomposition products should not

be produced.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) Not classified (No data available)

Acute toxicity (demal) Not classified (No data available)

Acute toxicity (inhalation)

Not classified (No data available)

#### Skin corrosion/irritation

Repeated or prolonged skin contact may cause irritation progressing to a burn pH: 10

# Serious eye damage/irritation

May cause serious damage to eyes pH: 10

#### Respiratory or skin sensitisation

May cause sensitization by skin contact.

#### Germ cell mutagenicity

No data available.

## Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



## STOT-single exposure

May cause respiratory irritation

## STOT-repeated exposure

No data available.

#### Aspiration hazard

No data available.

# Potential adverse human health effects and symptoms

No data available

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Ecology - general No data available

Hazardous to the aquatic environment,

short-term (acute)

Not classified (No data available)

Hazardous to the aquatic environment,

long-term (chronic)

Not classified (No data available)

## 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No additional information available

#### 12.6 Other adverse effects

No data available.

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal recommendations Avoid discharge to the environment.

Product packaging disposal

recommendations

Dispose in a safe manner in accordance with

local/national regulations.

# **SECTION 14: Transport information**

**14.1 UN number:** Not applicable

**14.2 UN proper shipping name:** Not applicable

14.3 Transport hazard class(es):

Not applicable

**14.4 Packing group:** Not applicable

**14.5** Environmental hazards: None

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (ELI) No. 449 (2012) of the European Parliament

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content: < 1 g/l

#### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

#### Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

<sup>\*</sup> indicates text in the SDS which has changed since the last revision.

According to Regulation (EC) No. 1907/2006

Revision Date: 2018-04-17 | Version: 5.2 | MSDS-5-503-5031-2018-04-MASONRY



H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2 H315 Calculation method

Eye Dam. 1 H318 Calculation method

Skin Sens. 1 H317 Calculation method

STOT SE 3 H335 Calculation method