



Technical Data Sheet

Blackfriar Stabilising Solution

Blackfriar Stabilising Solution binds and seals powdery and porous surfaces prior to decoration. Provides a firm foundation on unstable surfaces such as old lime wash and distemper.

Performance characteristics –

- Binds and seals powdery surfaces.
- Ideal for old limewash and distemper.
- Water-based.
- Interior and exterior use.

Preparation - Ensure the surface to be treated is clean, dry, and free from wax, grease and oil. Remove any loose flaking materials by scraping and dry brushing. Treat any algae or mould growth with Blackfriar Anti-Mould Solution prior to applying Blackfriar Stabilising Solution.

Application - Stir thoroughly prior to use with a broad stirrer. The product may be applied by brush or roller. Apply 1 generous even coat, a second coat may be required on particularly porous or powdery surfaces.

Thinning - Not recommended.

Limitations - Do not use under cold (less than 10°C) conditions. Substrate must be completely dry prior to applying Blackfriar Stabilising Solution. Not for use over wallpaper. Will not cure efflorescence. Do not apply to wet damp surfaces. Application onto damp surfaces will prevent full penetration into the surface and prolong the drying time of the product.

Coverage - Up to 12m² per litre per coat dependant on porosity of substrate.

Drying Time - Touch dry in 2 - 4 hours. Recoat after 4 hours and within 3 days. Drying times are based on an ambient temperature of 20°C and 50% relative humidity. Lower temperatures or higher humidity will prolong the drying and overcoating times.

Clean Up - Remove as much product as possible from application equipment before washing with water. Do not empty into drains or water courses. Some local authorities have special facilities for the disposal of waste coatings.

Storage - Store in a dry, safe place. Do not store in environments where extreme temperatures may occur. Keep within 5-30°C. Do not store in direct sunlight.

Keep out of reach of children.

Read label before use.

If medical advice is needed, have product container or label at hand.

Dispose of contents and container in accordance with all local, regional, national and international regulations.

Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).

May produce an allergic reaction.

Safety data sheet available on request.

EU limit values: 50g/l (2007) 30g/l (2010.) This product contains a maximum of 30g/l VOC.

Whilst every effort is made to ensure the accuracy of colour, due to limitations of the print process, colour / finish shown is for guidance only.