



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH)

ADP BRUSHING GREY PRIMER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

> Product name: ADP BRUSHING GREY PRIMER

Product code: 5900B0186

Product description: Air drying primer.

CAS No.: Not applicable. EC No.: Not applicable. Index No.: Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Primer for brush application to metal.

Uses advised against: Follow supplier's recommendations on correct use of the

product.

1.3 Details of the supplier of the safety data sheet

> Manufacturer/Supplier: S G Bailey Paints Limited

> > Unit 15A Griffin Mill London Road Thrupp

Stroud

Gloucestershire

GL5 2AZ

Telephone: +44 (0)1453 882237

E-mail: richard@baileypaints.co.uk

1.4 **Emergency telephone number**

> In case of emergency, call: +44 (0) 7774 460658 (UK number, 24 hours, 7 days)

Version: 1.0 Product code: 5900B0186 Page 1 of 13 Date: 31/12/2016

Product name: ADP Brushing Grey Primer





Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH)

SECTION 2: Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Flammable Liquid 3; H226

Specific Target Organ Toxicity Single Exposure 3; H336 Specific Target Organ Toxicity Repeated Exposure 2; H373 Aspiration Toxicity 1, H304

2.2 Label elements according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictogram(s):



Signal Word: Danger

Hazard Statement(s): H226: Flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

H373: May cause damage to organs through prolonged

or repeated exposure if inhaled.

H304: May be fatal if swallowed and enters airways.

Precautionary Statement(s): P210: Keep away from heat / sparks / open flames / hot

surfaces. No smoking.

P273: Avoid release to the environment.

P260: Do not breathe vapours.

P301 + P310: IF SWALLOWED: Immediately call a

doctor/physician.

P331: Do NOT induce vomiting.

P501: Dispose of contents/container to hazardous

waste.

(EU):

Supplemental Hazard information EUH208: Contains Methyl ethyl ketoxime & Fatty acids,

C6-19 branched, cobalt (2+) salts. May produce an

allergic reaction.

Version: 1.0 Product code: 5900B0186 Page 2 of 13 Date: 31/12/2016 Product name: ADP Brushing Grey Primer





EUH066: Repeated exposure may cause skin dryness

or cracking.

Contains: White spirit

Other hazards: 2.3

Product may charge electrostatically.

SECTION 3: Composition

3.2 **Mixtures**

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Chemical name	% w/w	CAS No.	EC No.	Index No.	Classification
Hydrocarbons, C9-11, n-alkanes, isoalkanes, cyclics, <2% aromatics REACH Registration no.: 01-2119463258-33	4 - 26	-	919-857-5	-	Flam. Liq. 3; H226 STOT SE3; H336 Asp. Tox. 1; H304 EUH066
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, aromatics (2 - 25%) REACH Registration no.: 01-2119458049-33-xxxx	3 - 5	64742-82-1	919-446-0	-	Flam. Liq. 3; H226 STOT SE3; H336 STOT RE1; H372 Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066
Methyl ethyl ketoxime REACH Registration no.: 01-2119539477-28	< 0.3	96-29-7	202-496-6	616-014-00-0	Acute Tox. 4; H312 Eye Dam. 1; H318 Skin Sens. 1; H317 Carc. 2; H351
Hexanoic acid, 2-ethyl-, zirconium salt REACH Registration no.: 01-2119979088-21	< 0.2	22464-99-9	245-018-1	-	Repr. 2; H361
Fatty acids, C6-19 branched, cobalt (2+) salts	< 0.2	68409-81-4	270-066-5	-	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Repr. 2; H361 Aquatic Chronic 2; H411

See Section 16 for full description of H statements.

Version: 1.0 Product code: 5900B0186 Page 3 of 13 Date: 31/12/2016

Product name: ADP Brushing Grey Primer





SECTION 4: First Aid Measures

4.1 Description of first aid measures

INHALATION: Remove patient to fresh air and keep at rest. If there

are breathing problems, seek medical advice.

SKIN CONTACT: Remove contaminated clothing immediately. Rinse skin

with water or shower and wash with soap and water.

Seek medical advice if symptoms persist.

EYE CONTACT: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing. Seek medical advice if irritation

persists.

INGESTION: Give small quantities of water to drink. Do NOT induce

vomiting. Obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause drowsiness and dizziness. May produce an allergic skin reaction. Repeated exposure my cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatments needed

If ingested, product may be aspirated into the lungs and cause chemical pneumonitis. Treat symptomatically.

SECTION 5: Fire-fighting Measures

5.1 Extinguishing Media

Suitable extinguishing media: Foam, CO₂ or dry powder.

Unsuitable extinguishing media: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Vapours may be heavier than air and may travel along the ground to a distant ignition source and flash back, causing fire or explosion. Containers may rupture on heating. Toxic gases may be formed in a fire.

Version: 1.0 Product code: 5900B0186 Page 4 of 13

Date: 31/12/2016 Product name: ADP Brushing Grey Primer





5.3 Advice for fire-fighters

FLAMMABLE. Evacuate area. Prevent run-off from fire control or dilution from entering drains or water courses. Self-contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep fire-exposed containers cool by spraying with water. Do not allow to enter drains, sewers or watercourses.

Flash point: 40°C.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Eliminate sources of ignition. Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear suitable personal protective equipment. Wear appropriate respirator when ventilation is inadequate (see Section 8).

6.1.2 For emergency responders

Keep unnecessary personnel away. Wear suitable protective clothing (see Section 8). Contaminated clothing should be thoroughly cleaned.

6.2 Environmental precautions

Collect spillage. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and materials for containment and clearing up

6.3.1 For containment

Stop the leak if it is safe to do so. Contain the spillage with sand, earth or any suitable adsorbent material.

6.3.2 For cleaning up

Use sand, earth or any suitable non-combustible adsorbent material to adsorb spillages. Using non-sparking tools transfer the contaminated absorbent material into sealable containers for disposal. Containers should be sealed before being disposed of via an authorised waste disposal contractor.

6.3.3 Other advice

None

Version: 1.0 Product code: 5900B0186 Page 5 of 13
Date: 31/12/2016 Product name: ADP Brushing Grey Primer





6.4 Reference to other sections

See Section 8 for personal protective equipment. See Section 13 for waste disposal.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Provide adequate ventilation, including local extraction to ensure the occupational exposure limit is not exceeded. Do not inhale vapours. Avoid contact with skin and eyes. Wear suitable personal protective equipment (see Section 8). Eliminate all sources of ignition. Electrical equipment should be protected to the appropriate standard.

Do not eat, drink or smoke when using this product. Wash exposed skin after use. Contaminated work clothing should not be allowed out of the workplace. Contaminated clothing should be thoroughly cleaned or disposed of as hazardous waste.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep from direct sunlight. Store locked up. Store only in the original container. Do not pressurise container. Product may charge electrostatically so all containers and associated equipment should be earthed and bonded to prevent static charge accumulation. Store in a cool, well ventilated place. Empty containers retain product residue and can be hazardous.

Ensure compliance with all regulations and guidance associated with the storage and use of flammable liquids.

See section 10 for incompatible materials.

7.3 Specific end uses(s)

Primer for brush application to metal.

Version: 1.0 Product code: 5900B0186 Page 6 of 13
Date: 31/12/2016 Product name: ADP Brushing Grey Primer





SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Workplace exposure limits (WEL) - United Kingdom

Source: EH40/2005, 2nd Ed., 2011

Substance	CAS no.	LTEL (8 hr TWA)		STEL (15 min)	
		ppm	mg/m³	ppm	mg/m³
White spirit	64742-82-1	-	350		

Other exposure limits

Consult applicable national legislation for WELs in other countries.

Biological limits

None assigned.

Derived No-Effect Level (DNEL) - industry

Substance	Dermal	Inhalation	Oral
White spirit	Long-term: 44 mg/kg/day – systemic effects	Long-term: 330 mg/m³ – systemic effects	Not available

Derived No-Effect Level (DNEL) - consumer

Substance	Dermal	Inhalation	Oral
White spirit	Long-term: 26 mg/kg/day – systemic effects	Long-term: 71 mg/m³ – systemic effects	Long-term: 26 mg/kg/day – systemic effects

Predicted No-Effect Concentration (PNEC)

Not available.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction. Electrical equipment should be protected to the appropriate standard.

Version: 1.0 Product code: 5900B0186 Page 7 of 13
Date: 31/12/2016 Product name: ADP Brushing Grey Primer





8.2.2 Personal protection:A suitable and sufficient COSHH assessment must be

undertaken and appropriate and compliant personal

protective equipment (PPE) provided and used.

Eye protection: Goggles or glasses.

Skin protection: Appropriate barrier creams.

Hand protection: Chemical resistant gloves. (EN 374).

Other: Long sleeve protective clothing. Plastic apron. Rubber

boots.

Respiratory protection: In the case of insufficient ventilation, wear suitable

respiratory equipment.

8.2.3 Environmental exposure controls

Inform environmental manager of all incidents involving this product.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Grey viscous liquid

Odour: Solvent

Odour threshold:

pH:

Not available

Not applicable

Melting/freezing point:

Not available

Initial boiling point and boiling range:

Not available

Flash point: 40°C (closed cup)

Evaporation rate:

Flammability (solid; gas):

Upper/lower flammability or explosive limits:

Vapour pressure:

Not available

Not available.

Not available

Relative density: 1.2 to 1.4 (Water = 1)

Solubility: Insoluble in water

Partition coefficient: n-octanol/water: Not available

Version: 1.0 Product code: 5900B0186 Page 8 of 13
Date: 31/12/2016 Product name: ADP Brushing Grey Primer





Auto-ignition temperature: Not available Not available **Decomposition temperature:**

Viscosity: 8 to 9 poise (ICI rotothinner, 20°C)

Explosive properties: Vapour may form explosive mixture with air

Oxidising properties: Not oxidising

9.2 Other information

None

SECTION 10: Stability and Reactivity

10.1 Reactivity Reacts with strong oxidising agents.

10.2 **Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions expected during normal use.

Conditions to avoid Keep away from sources of ignition, hot surfaces, direct 10.4

sunlight and other sources of ignition.

10.5 **Incompatible materials** Strong oxidising agents.

10.6 Hazardous decomposition products Combustion may liberate toxic smoke, fumes,

incomplete combustion products and oxides of carbon.

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Acute toxicity Low acute toxicity.

Skin corrosion/irritation Repeated exposure may cause skin dryness or

cracking.

Serious eye damage/irritation Not irritating to eyes.

Skin sensitisation May produce an allergic skin reaction.

Respiratory irritation Vapour irritates the nose, throat and lungs.

Respiratory sensitisation No evidence of respiratory sensitisation.

Version: 1.0 Product code: 5900B0186 Page 9 of 13 Product name: ADP Brushing Grey Primer

Date: 31/12/2016





Germ cell mutagenicity Not mutagenic.

Carcinogenicity Not classified. The product does not contain substances

classified as carcinogenic above the classification

thresholds.

Reproductive toxicityNot classified. The product does not contain substances

classified for reproductive toxicity above the

classification thresholds.

Specific Target Organ Toxicity – single

exposure

Inhalation of high concentrations of vapour may cause

drowsiness or dizziness.

Specific Target Organ Toxicity –

repeated exposure

Prolonged or repeated inhalation of high concentrations

of vapour may cause organ damage.

Aspiration hazard If ingested, may be aspirated into the lungs and cause

chemical pneumonitis.

Information on likely routes of exposure

Inhalation See above

Skin contact See above

Eye contact See above

Ingestion See above

Symptoms related to the physical, chemical

and toxicological characteristics

See above

Other information None

SECTION 12: Ecological Information

12.1 Toxicity The product is low hazard for the environment.

The following data is for White spirit:

LC50 96h fish: < 30 mg/l (*Onchorhynchus mykiss*) EC50 48h aquatic invertebrates: < 22 mg/l (*Daphnia*

magna)

EC50 72h aquatic plants: < 10 mg/l EC50 48h microorganisms: 44 mg/l

Version: 1.0 Product code: 5900B0186 Page 10 of 13
Date: 31/12/2016 Product name: ADP Brushing Grey Primer





NOEC 21d aquatic invertebrates: 0.097 mg/l (Daphnia

magna)

12.2 Persistence and degradability Data for White spirit:

Readily biodegradable - 75% in 28 days.

12.3 Bioaccumulative potential Not applicable.

12.4 **Mobility in soil** Not applicable.

12.5 Results of PBT and vPvB assessment Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects No other adverse effects are expected.

SECTION 13: Disposal Considerations

13.1 **Waste treatment methods**

Product and packaging to be disposed of as hazardous waste. Disposal should be in accordance with local, state or national legislation.

Contaminated adsorbent must be removed in sealed, drums and disposed of via an authorised waste disposal contractor. Do not empty into drains; dispose of this material and its container in a safe way.

Empty containers may contain residue and may be dangerous. Do not attempt to refill or clean containers without proper instructions. Do not pressurise, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition. Residual flammable vapour may cause an explosion.

SECTION 14: Transport Information

ROAD (ADR)

1263 14.1 **UN Number PAINT** 14.2 UN Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Ш 14.5 **Environmental hazards** No

INLAND WATERWAYS (ADN/ADNR)

14.1 **UN Number** 1263 **UN Proper shipping name PAINT**

Version: 1.0 Product code: 5900B0186 Page 11 of 13 Date: 31/12/2016

Product name: ADP Brushing Grey Primer





Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH)

14.3	Transport hazard class(es)	3
14.4	Packing group	III
14.5	Environmental hazards	No

RAIL (RID)

14.1	UN Number	1263
14.2	UN Proper shipping name	PAINT
14.3	Transport hazard class(es)	3
14.4	Packing group	III
14.5	Environmental hazards	No

AIR (IATA/ICAO)

14.1	UN Number	1263
14.2	UN Proper shipping name	PAINT
14.3	Transport hazard class(es)	3
14.4	Packing group	Ш
145	Environmental hazards	No

SEA (IMDG)

14.1	UN Number	1263
14.2	UN Proper shipping name	PAINT
14.3	Transport hazard class(es)	3
14.4	Packing group	III
14.5	Environmental hazards	No

14.6 Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC code Not intended to be transported in bulk

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006 as amended. The product has been classified in accordance with Regulation (EC) No. 1272/2008 (CLP).

15.2 Chemical Safety Assessment

Not applicable.

Version: 1.0 Product code: 5900B0186 Page 12 of 13
Date: 31/12/2016 Product name: ADP Brushing Grey Primer





SECTION 16: Other Information

Full text of relevant H-statements: H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer.

H361: Suspected of damaging fertility or the unborn

child.

H372: Causes damage to organs through prolonged or

repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

References:

Suppliers' Safety Data Sheets for components Regulation (EC) No. 1272/2008 EH40/2005, 2nd Ed., 2011

Disclaimer:

THE INFORMATION PRESENTED HEREIN IS BELIEVED TO BE ACCURATE, BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM, IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

Version history:

Version: 1.0

Issue date: 31/12/2016
Previous Version: Not numbered

Issue date of previous version: 14/03/98

Sections changed from previous version: All sections reviewed and revised

Version: 1.0 Product code: 5900B0186 Page 13 of 13
Date: 31/12/2016 Product name: ADP Brushing Grey Primer